


# User Manual

## Plastic HDMI to AV converter

### Enjoy the vivid world!

#### Product introduction

This plastic HDMI to AV converter can convert HDMI digital signal to AV (CVBS) composite video signal and FL/FR stereo audio signal. It can convert high quality HDMI video signal to normal CVBS signals (standard-definition 480i, 576i) which can be received by TV, VHS VCR players, DVD recorder. Also it can support NTSC and PAL two standard formats. Tips: It cannot support DTS and RAW codes.



היצירה 19 רמלה 7255616 ת.ד. חולון 1869  
טלפון 03-5575110 פקס 03-5214524

office@telran.co.il

www.telran.co.il



## Features

No need to install drivers, plug and play

By pressing "PAL/NTSC" switch on the converter, you can easily change the format between NTSC and PAL

Support full format output (NTSC, PAL)

## Specification

HDMI input format: 480i/60Hz, 480p/60Hz, 576i/60Hz, 576p/60Hz, 720p50/60Hz, 1080i50/60Hz, 1080p50/60Hz

AV output: CVBS(1.0Vpp)、S-Video(Y:1.0Vpp、C:0.3Vpp)

Output video format : PAL/NTSC

Output video signal impedance: 75 Ohm

Max working current: 320mA

Need DC 5V/1A power supply

Dimension (L x W x H): 70x65.8x20.2mm

Net weight: 40g



היצירה 19 רמלה 7255616 ת.ד. חולון 1869  
טלפון 03-5575110 פקס 03-5214524

office@telran.co.il

www.telran.co.il



## Physical Connection Showing Picture



### The Package includes

HDMI TO AV converter  
5V power supply  
User manual

היצירה 19 רמלה 7255616 ת.ד. חולון 1869  
טלפון 03-5575110 פקס 03-5214524

office@telran.co.il

www.telran.co.il

